DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

TEST BOOKLET SERIES

TEST BOOKLET LECT (I.T.) T.E.-2016



Time	Allowed : 2 Hours] [Maximum Marks : 100
	All questions carry equal marks.
	INSTRUCTIONS
1.	Immediately after the commencement of the examination, you should check that test booklet does not have any unprinted or torn or missing pages or items, etc. If so, get it replaced by a complete test booklet.
2.	Encode clearly the test booklet series A, B, C or D as the case may be in the appropriate place in the answer-sheet.
3.	Write your Roll Number only in the box provided alongside. Do not write anything else on the Test Booklet.
4.	This Test Booklet contains 100 items (questions). Each item comprises four responses (answers). Choose only one response for each item which you consider the best.

(A) (B) (D

example, response "C" is so marked :

5.

After the candidate has read each item in the Test Booklet and decided which of the given

responses is correct or the best, he has to mark the circle containing the letter of the selected response by blackening it completely with Black or Blue ball pen. In the following

- 6. Do the encoding carefully as given in the illustrations. While encoding your particulars or marking the answers on answer sheet, you should blacken the circle corresponding to the choice in full and no part of the circle should be left unfilled. After the response has been marked in the ANSWER SHEET, no erasing/fluid is allowed.
- You have to mark all your responses ONLY on the ANSWER SHEET separately given according to 'INSTRUCTIONS FOR CANDIDATES' already supplied to you. Responses marked on the Test Booklet or in any paper other than the answer sheet shall not be examined.
- All items carry equal marks. Attempt all items. Your total marks will depend only on the number of correct responses marked by you in the Answer Sheet. There will be no negative marking.
- Before you proceed to mark responses in the Answer Sheet fill in the particulars in the front portion of the Answer Sheet as per the instructions sent to you.
- If a candidate gives more than one answer, it will be treated as a wrong answer even if one of the given answers happens to be correct.
- 11. After you have completed the test, hand over the Answer Sheet only, to the Invigilator.

LECT (I.T.) T.E.-2016

Time	Allowed : 2 Hours	[Maximum Marks: 100
1.	In which region of H.P. were chakli copp	per coins in circulation around the
170	tenth century A.D. ?	
	(A) Bilaspur (B)	Kangra
4	(C) Chamba (D)	Kullu
2.	In which District of H.P. is Dera Sidh I	Baba Rudru ?
	(A) Hamirpur (B)	Una
	(C) Bilaspur (D)	Kangra
3.	Which district of H.P. recorded the higher	st increase in the density of popu-
2	lation between 2001 and 2011 A.D. ?	
	(A) Hamirpur (B)	Solan
	(C) Bilaspur (D)	Una
4.	Roughly how older is the Vikram San	mvat as compared to the Saka
	Samvat ?	
	(A) 105 years (B)	115 years
	(C) 125 years (D)	135 years
5.	When was the sovereignty of region be	etween the Beas and the Satluj
15	transferred to the British Government ?	
	(A) 1815 AD (B)	1839 AD
	(C) 1846 AD (D)	1849 AD
LECT	(I.T.) T.E2016—D 2	

6.	In which District of H.P. is	Sukhsar lake ?	
	(A) Kangra	(B) Mandi	
	(C) Bilaspur	(D) Chamba	
7.	In which god's praise is Bir	su song sung in the upper Shimla regi	on ?
	(A) Banasur	(B) Nag Deota	
	(C) Mahasu Deota	(D) Narsingh Deota	
8.	At which place in Kumarsai	n region is the HPMC upgrading its p	acking
	house ?		
	(A) Oddi	(B) Khadrala	
	(C) Tikkar	(D) Khaneti	
9.	Appoximately how much area	is being covered under the Swan Rive	r Inte-
	grated Watershed Manageme	nt Project in Una District of H.P. ?	
	(A) 732 sq.kms	(B) 715 sq.kms	
	(C) 672 sq.kms	(D) 619 sq.kms	
10.	In which river basin is Chal	oa hydel project ?	
	(A) Beas	(B) Ravi	
	(C) Satluj	(D) Chenab	
LEC	T (I.T.) T.E2016—D	3	P.T.O.

11.	With which of the following was associated?	Ash	ok Singhal, who died recently,
	(A) Shiv Sena	(B)	Bajrang Dal
	(C) Vishwa Hindu Parishad	(D)	Hindu Mahasabha
12.	Who was appointed India's permane	nt rep	presentative to the United Nations
9	in November, 2015?		
	(A) Ajit Doval	(B)	Syed Akbaruddin
	(C) Hurushikesh Senapati	(D)	Kamla Luxman
13.	What was the venue of 2016 Ardh	Kum	ibh ?
	(A) Allahabad	(B)	Nasik
* *	(C) Haridwar	(D)	Puri
14.	With which sport is Apurvi Chande	ela as	ssociated ?
	(A) Hockey	(B)	Archery
192	(C) Basketball	(D)	Shooting
15.	By what popular name is Dr. Gun.	a Rai	m Khanikar called ?
N N	(A) Patanjali of Meghalaya	(B)	Charak of Assam
	(C) Vaid of the North-East	(D)	Yogagura of Arunachal Pradesh
LEC'	T (I.T.) T.E2016—D 4		

16.	Who was crowned Miss Univ	rerse, 2015 ?	
	(A) Pia Alonzo Wurtzbach	(B) Ariadana Gutierrez	
	(C) Liesl Laurie	(D) Lisa Punch	
17.	Which country is at numb	per one in the 2015 Human Developm	ent
	Index ?		
	(A) Australia	(B) Denmark	
	(C) Netherlands	(D) Norway	
18.	What was the venue of 2015	5 WTO summit ?	
	(A) New York	(B) Nairobi	* -
	(C) Sinai	(D) Washington	
19.	Women of which age attende	ed the 'Coming of Age' Day held in Japan	ı in
	January, 2016 ?		
	(A) 18	(B) 19	
	(C) 20	(D) 21	9 4
20.	Who is Tsai Ing-wen ?		
	(A) President of Korea	(B) President of Taiwan	
	(C) President of Vietnam	(D) President of South Korea	2/
LEC	T (I.T.) T.E2016—D	5 P.7	۲.٥.

21.	The minimum number of tempo	rary varial	bles needed to swap the contents
	of two variables is :		
	(A) 1	(B)	2
	(C) 3	(D)	0
22.	What will be the output of the	following	C program segment ?
	int $k = -7$;		
	printf("%d", 0 < !k);		
	(A) prints 0	(B)	Prints a non-zero value
	(C) is illegal	(D)	Unpredictable value
23.	cb is a:		
	(A) C code beautifying tool	(B)	C interpreter
	(C) C compiler	(D)	None of these
24.	In a certain machine, the sur	n of an in	teger and its 1's complement is
	2^{20} - 1. Then size of (int), in	bits will b	e:
	(A) 16	(B)	32
	(C) unpredictable	(D)	none of these
LEC'	T (I.T.) T.E2016—D	6	

25.	Assu	ime that the random	number gener	rating	g function rand(), retu	rns an integ	er
	betv	veen 0 and 10000 (1	ooth inclusive)	. If y	ou want to simulate	the throwin	ıg
	of a	die using this ran	dom function,	use	the expression:		
	(A)	rand() % 6		(B)	rand() % 6 + 1		
	(C)	rand() % 5 + 1		(D)	none of these		
26.	In (C++ the statement					
	int	a = 5;					
	cout	<<"FIRST" <<(a <	<< 2) << "SEC	CONI	D";		
	outp	outs-					
	(A)	FIRST52SECOND)	(B)	FIRST20SECOND		
	(C)	SECOND25FIRST		(D)	None of these		
27.	The	statement in Java	:				
	byte	var = ~ 9;					
	Syst	em.out.println(var);					
	(A)	prints - 9		(B)	prints - 10		
	(C)	prints - 119		(D)	prints - 118		
28.	Whi	ch of the following	is not a prin	nitive	data type in Java	?	
	(A)	boolean	-	(B)	byte		
	(C)	string		(D)	double	*	
LEC	T (I.T.) T.E2016—D	7			PTO)

29.	In Java, consider the following statement:						
	System.out.println(Math.ceil	(12.3) - Math.fl	loor(3.9));				
	This statement will print :						
	(A) 8.4 .	(B)	8.0				
	(C) 10.0	(D)	9.0				
30.	In Java, what does the stat	ement System	.out.print(++5); prints :				
	(A) 5	(B)	6				
	(C) run time error	(D)	compile time error				
31.	Assume 5 buffer pages are a	available to so	rt a file of 105 pages. The cost of				
	sorting using m-way merge	e sort is :					
	(A) 206	(B)	618				
	(C) 840	(D)	926				
32.	A hash table has space for	100 records. W	What is the probability of collision				
	before the table is 10% full	?					
	(A) 0.45	(B)	0.5				
	(C) 0.3	(D)	0.34				
33.	What is the postfix form of	the following	prefix * + a b - c d is :				
	(A) ab + cd - *	(B)	ab cd + - *				
	(C) ab + cd * -	(D)	ab + - cd *				
LEC	T (I.T.) T.E2016—D	8					

34.	The	order of bin	ary search	algorithm	is :			F1
	(A)	n		(B)	n^2		
	(C)	nlog(n)		(D)	log(n)		
35.	If th	e sequence of	operations	push(1), p	ush(2), pop, push(1), pus	h(2), po	p, pop,
	pop,	push(2), pop	are perform	ned on a sta	ack,	the sequence of popp	ped out	values
	are							
	(A)	2,2,1,1,2			(B)	2,2,1,2,2		
	(C)	2,1,2,2,1		. ((D)	2,1,2,2,2		line.
36.	The	number of p	oossible bir	ary trees	with	3 nodes is :		
	(A)	12			(B)	13		
	(C)	5			(D)	15		
37.	Whi	ch of the foll	owing trave	ersal techni	ique	lists the nodes of a	binary	search
	tree	in ascending	g order ?					
	(A)	post-order	75	- 1	(B)	in-order		
	(C)	pre-order-			(D)	none of these .		
38.	The	preorder tra	versal seq	uence of a	bin	ary search tree is 3	0, 20,	10, 15,
	25, 2	23, 39, 35, 42.	Which one	of the follow	ving	is the postorder trav	ersal sc	quence
	of th	he same tree	?			4		
	(A)	10, 20, 15,	23, 25, 35,	42, 39, 3	0			
	(B)	15, 10, 25,	23, 20, 42	, 35, 39, 3	0			
	(C)	15, 20, 10,	23, 25, 42	, 35, 39, 3	0		8	
	(D)	15, 10, 23,	25, 20, 35	, 42, 39, 3	0			
LEC	T (I.T.) T.E2016—	-D	9		b)		P.T.O.

39. A hash table of length 10 uses open addressing with hash function h(k) = k mod 10, and linear probing :

0	
1	
2	42
3	23
4	34
5	52
6	46
7	33
8	
9	

After inserting 6 values into an empty hash table, the table is as shown above.

Which one of the following choices gives a possible order in which the key values could have been inserted in the table?

- (A) 46, 42, 34, 52, 23, 33
- (B) 34, 42, 23, 52, 33, 46
- (C) 46, 34, 42, 23, 52, 33
- (D) 42, 46, 33, 23, 34, 52

40,	If G	l is a forest w	ith n vertices	and k conn	ected component	s, how ma	any edges
	doe	s G have ?					*
				4.0			
	(A)	[n/k]		(B)	n	3	
			7/2	3 98	· 10		
	(C)	n - k		(D)	n - k + 1	77. 30	
	63	3 8 8			* * *		
41.	Pixe	el phasing is	a technique	for :			
			11				
	(A)	shading	- T	(B)	anti-aliasing	-	
	25.04	*		10	124		
	(C)	hidden line	removal	(D)	none of these		
			A			1.3	
42.	Assı	uming that or	ie allows 256 d	epth value l	evels to be used,	how much	memory
	wou	Ild a 512×6	512 pixel disp	lay require	to store the Z-	buffer ?	- 9
		(6)				3	
	(A)	512 K	95	(B)	256 K		2
			- PA			1.0	5
*	(C)	1024 K		(D)	128 K		
	87660			25.56			225
43.	Refl	ection of a p	oint about x-s	axis, followe	ed by a counter	-clockwise	rotation
	A14240-0	gonoric sen nev ranzo	ti it			12.1802/21/07/07/07/09/09	+ 1
	of 9	0 degrees, is	equivalent to	reflection	about a line :		10.00
		#		25.30			
	(A)	* ÷ N	50.5	701			100
	(A)	x = -y	20 V	(B)	y = -x		
				e 14			
	(C)	x = y	70 90	(D)	x+y=1		1); = 57;
LECT	TDT) T.E2016—	-D	11			PTO

44.	X =	at^2 ; $y = 2$	eat, is the	parametric	equat	lion of a			
	18			H 4			AFE M	7/4	€
	(A)	circle		6.17	(B)	rectangul	ar hyperbo	la	
		- 4						M.	E 90
2	(C)	parabola		- 4	(D) -	ellipse			396
		* 4 5		39				576	
45.	Whi	ch of the	following d	evices has	relati	ve origin	?		5.5
		•							
	(A)	Joystick	F.	27	(B)	Trackbal	l,	-	
			* 1				1 X 3 0		
	(C)	Mouse	A		(D)	None of	these		
8 1 2		4	35	1	7				
46.	How	many ch	aracters pe	r sec (7 bits	+ 1	parity) ca	n be transn	nitted ove	ra
	0.107	v 1 12	'C 41	. P 10	1	/4		Link 2	37
2.4	2400) ops line	ii the tran	isfer is synd	enron	ous (1 sta	rt + 1 stop	DIL) (
	/ 6 1	(14)(1			(10)	940	30		
	(A)	300	* *		(D)	240	4 9		22
- 1	(0)	oro.	. 9		(TA)	275	- 1 a		
88.1	(C)	250			(12)	210			
477	TVL a		e amaza main	ts needed fo	1A	lines in s	anoan noint	mitah mi	inh
47.	1 1165	number o	r cross poin	is needed to	1 10	inies in a	cross pome	Switch wi	ilcit
1	is fi	all duplex	in nature	and there a	are n	self con	nection is :	en feli	
		100				NO 10 AND 10 - 10 - 1000 C	F1 4	. IF 18	
	(A)	100		1	(B)	45			
						1			
	(C)	50			(D)	90	10 X		
			· .					6	
48.	The	Hamming	g distance	between 00	1111	and 0100	11 is :	8 4	
	1.			E4 11		2 - 1	The state of		
	(A)	1			(B)	2			
6	(4)							Ŧ	
	(C)	3			(D)	4			2 1
I WOO	O STATE OF THE STA	.) T.E201	6D	12			5 %		Acc.
LEU	i (i.i	., 1.15201	W-13	12		190			

49.	Maximum data rate of a channel for a noiseless 3-kHz binary channel is :
	(A) 3000 bps (B) 6000 bps
	(C) 1500 bps (D) none of these
50.	In time division switches if each memory access takes 100 ns and one
	frame period is 125 µs, then the maximum number of lines that can be
	supported is:
	(A) 625 (B) 1250
\$	(C) 2300 (D) 318
51.	Unmodulated signal coming from a transmitter is known as:
5.4	(A) carrier signal (B) baseband signal
¥c	(C) primary signal (D) none of these
52.	In the following pairs of OSI protocol layer/sub-layer and its functionality,
	the incorrect pair is:
fi Fig.	(A) Network layer and Routing
	(B) Data Link Layer and Bit synchronization
	(C) Transport layer and End-to-end process communication
	(D) Medium Access Control sub-layer and Channel sharing
LECT	F (I.T.) T.E2016—D 13 P.T.O.

53.	The protocol data unit (PDU) fo	r the application layer in the Internet
	stack is:	*
	(A) Segment	(B) Datagram
	(C) Message	(D) Frame
54.	A terminal multiplexer has six	1200 bps terminals and 'n' 300 bps
	terminals connected to it. The outgo	ing line is 9600 bps. What is the maximum
	value of n ?	
	(A) 4	(B) 16
	(C) 8	(D) 28
55.	Which of the following is not a st	andard RS-232 C signal ?
	(A) RTS	(B) CTS
	(C) DSR	(D) VDR
56.	If w is a string of terminals and	A, B are two non-terminals, then which
	of the following are right linear gr	rammars :
	(A) $A \rightarrow Bw$	(B) A → Bw w
	(C) $A \rightarrow wB \mid w$	(D) None of these
LECT	r (l.T.) T.E2016—D	

57.	- The	grammar $E \rightarrow E +$	E E * E a, is	;	e a	
	(A)	ambiguous	(B)	vnambiguou	š	
¥.	(C)	not depends on give	n sentence (D)	none of thes	e	
58.	Synt	thesized attribute can	easily be sim	ulated by :		
	(A)	LL grammar	(B)	ambiguous g	rammar	
100	(C)	LR grammar	(D)	none of these	е	
59.	The	graph depicting the int	er-dependencie	s of the attribut	les of differe	ent nodes
£3		parse tree is called a	1	. ,0*	, i	
	(A)	flow graph	(B)	dependency g	graph	11.44°.
8.	(C)	Karnaugh's Map	(D)	Steffi graph		- 7
60.	A sh	ift reduce parser carr	ies out the act	ions specified v	vithin brace	es imme-
		ly after reducing with			27-0 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	$S \rightarrow$	xxW (print "1")		C 9.	3	8
- 2	$S \rightarrow$	Y {print "2"}	\$2 (* 8) .	4		
	$s \rightarrow$	Sz [print "3"]	142			
	What	is the translation of	xxxxyzz using	g the syntax d	irected trar	slations
		ne described by the a				(f
	(A)	23131 .	(B)	11233		
	(C)	11231	(D)	33211	200	10 .
LEC	(.T.)	T.E2016—D	15	17. 77		P.T.O.

61.	The number of columns in a state	table for	a sequential c	ircuit with	'm' flip-
	flops and 'n' input is :				
2 1 8	(A) $m + n$	(B)	m + 2n		# 4
	(C) 2m + n	(D)	2m + 2n	10	
62.	The minimum time delay between	n the init	ation of two in	dependent	memory
o.	operations is called:	×			
	(A) access time	(B)	cycle time		
	(C) transfer time	(D)	latency time		81 2
63.	How many 2-input multiplexer	rs are re	quired to con	struct a	2 ¹⁰ -input
10 18	multiplexer ?				3 44
	(A) 1023	(B)	31		
	(C) 10 -	(D)	127		
64.	A decimal number has 25 digits	. The bit	s needed for it	s cquivale	nt binary
er S	representation is, approximately	entik Livera			-12,
	(A) 50	(B)	60	*	
	(C) 70	(D)	75		100
LEC	CT (I.T.) T.E2016—D	16			

1. 1. 1.				¥2.
65.	A RAM chip has a capacity of 1024 w	ords o	of 8 bits each $(1 \text{ K} \times 8)$.	The number
				marinet
	of 9 a 4 damidan with smalls live		1. 10 77	10 0435
14	of 2×4 decoders with enable line	neede	ed to construct a 16 K	× 16 KAM
			TREE CONTRACTOR OF THE PARTY OF	
	from 1 K × 8 RAM is:			
	was to the same of			
19	(A) 4	(B)	5.5	
	200			- *
	(C) 6	(D)	7	
	T. 100 F.	2		
66.	Consider the Consideration of	and Carer		44.
00.	Consider the following sequence of	micro	-operations :	Name
	MBR ← PC			39 =
8,10	Albit (1.0	M		
		100		100
	$MAR \leftarrow X$		8 8 7	
	THE PARTY OF THE P			
				- 1
100	. PC ← Y	1.72		
		- 8.		
+ M. C.			200	
	Memory ← MBR			
200				
	Which one of the following is a		bla spanstian parteum	ad by this
	Which one of the following is a	possu	ole operation perform	ed by this
		72		= n 2
ti i	sequence ?			
			A STATE OF THE STA	2
10.3	(A) The state of t	200	0 1511	
	(A) Instruction fetch	(B)	Operand fetch	
		rica i	- 2-3	7
	(C) Conditional branch	an	Initiation of intermed	- acomica
	(C) Conditional branch	(1)	Initiation of interrupt	service
67.	The cost of storing a bit is minimu	ım in		100
~	The code of bloring a bit is intilline			4 9
- 10			및 등 교기 스타토션	
31.30	(A) Cache	(B)	Register	
				100
	(C) RAM	(D)	Magnetic tape	
9 30 500				
LECT	'(I.T.) _{T.E2016} —D 17			P.T.O.

68. The truth table

x	у.	f(x, y)
0	0	0
0	1 .	-0
. 1	0	1
1	1	1

represents the Boolean function :

(A) X

(B) X + Y

(C) X ⊕ Y

(D) Y

69. According to Brooks, if n is the number of programmers in a project team, then the number of communication path is:

(A) n(n-1)/2

(B) nlogn

(C) n

(D) n(n + 1)/2

70. If the number of conditions in a decision table is n, the maximum number of rules possible is:

(A) 'n

(B) 2n

(C) 2n

(D) None of these

LECT (I.T.) T.E.-2016-D

71,	Let M be a node that represents a if-then-else node in a program graph. Let					
	the	number of paths	from its if part	to en	nd node is y, and from the else part	
	to t	he end node is z .	If the number of	of pat	ths from the start node to the node	
4.5	Мi	s x, then the tot	al number of p	aths	through M is:	
	(A)	xy + z	<i>D</i>)	(B)	xz + y	
	(C)	x + y + z		(D)	x(y + z)	
72.	Whi	ch of the followi	ing is a desirab	le pro	operty of a module ?	
	(A)	Independency		(B)	Low cohesiveness	
	(C)	High coupling		(D)	Multi-functional	
73.	The	probability of st	uccess of two m	odule	es in unit testing is 0.9 each. The	
¥00	prob	ability of succes	s of integration	testi	ing is 0.9. The joint probability of	
	succ	ess is :	7			
	(A)	0.9		(B)	0.81	
	(C)	0.729	10	(D)	0.1	
74.	The	extent to which	computer can e	ontin	ue to operate correctly despite the	
	intr	oduction of inval	id input is calle	ed as		
	(A)	reliability		(B)	robustness	
. 4	(C)	portability		(D)	none of these	
LECT	(I.T.) T.E2016—D	19	7127	Р.Т.О.	

75.	Consider the relation:
	Employee(Emp_no, Emp_name, Salary, Project_no, Duc_date)
	(Assuming a $1-1$ relationship between project and employees)
	Project_no is functionally dependent on :
	(A) Emp_name (B) Emp_no
	(C) Due_date (D) None of these .
76.	Consider the following set of functional dependencies on the scheme (A, B, C)
8	$\mathbf{A} \to \mathbf{BC}$
82	$B \to C$
* *	$A \to B$
8 %_	$AB \rightarrow C$
	The canonical cover for this set is:
	(A) $A \to BC$ and $B \to C$ (B) $A \to BC$ and $AB \to C$
7)	(C) $A \rightarrow BC$ and $A \rightarrow B$ (D) $A \rightarrow B$ and $B \rightarrow C$
77.	Which of the normal form is considered adequate for relation database
	design ?
	(A) 2NF (B) 3NF
	(C) 4NF (D) BCNF
LEC	T (I.T.) T.E2016—D 20

	(A)	SQL * Plus commands	(B)	SQL Stateme	ents	
	(C)	PL/SQL block	(D)	None of thes	е	
79.	SGA	A stands for :				
	(A)	Show global area	(B)	Start global	area	
	(C)	System global area	(D)	Shut global	ırea	
80.	Con	sider the following relation	schema p	ertaining to a	student da	tabase :
	Stuc	dent : (<u>rollno</u> , name, addres	ss)			
	Enr	oll : (<u>rollno, courseno,</u> con	irsename)			
7	Whe	ere the primary keys are sho	wn underl	ined. The num	ber of tuple	s in the
	Stud	lent and the Enroll tables	are 120 <i>a</i>	nd 8 respecti	vely. What	are the
	max	imum and minimum numbe	r of tuple	s that can be	present in	(student
	* E1	nroll), where * denotes natu	ral join.	85		
	(A)	8, 8	(B)	120, 8	125	
	(C)	960, 8	(D)	960, 120		
LECT	(1.T.) T.E2016D	21			P.T.O.

A script file that is executed by the SQL * Plus cannot contain ;

78.

81.	A prime attribute of a relati	on scheme R is an attribute th	at appears :
	(A) in all candidate keys of	R (B) in some candidate	keys of R
	(C) in a foreign key of R	(D) only in the primar	ry key of R
82.	Table employee has 10 recor	ds. It has a non-Null SALARY	column which
	is also UNIQUE the SQL sta	atement :	
	SELECT COUNT (*) from EM	MPLOYEE WHERE SALARY > A	ANY (SELECT
	SALARY FROM EMPLOYER	i); prints	
1+	(A) 10	(B) 9	3.4
	(C) 5	(D) 0	
83.	A process executes the code		
	fork ();		
	fork ();		4 14 or
	fork ();	a	
	The total number of child pr	ocesses created is :	**
	(A) 3	(B) 4	
	(C) 7	(D) 8	
LEC	T (I.T.) T.E2016—D	22	

84. An operating system uses shortest remaining time first scheduling algorithm for pre-emptive scheduling of processes. Consider the following set of processes with their arrival times and CPU burst times (in milliseconds):

Process	Arrival Time	Burst Time
P1	0	12
P2	2	4
РЗ	3	6
P4	8	5

The average waiting time (in milliseconds) of the processes is

(A) 5.5

(B) 2.5

(C) 3.1

(D) 2.65

85. If there are 32 segments each of size 1 K bytes, then the logical address should have :

(A) 13 bits

(B) 14 bits

(C) 15 bits

(D) 16 bits

86-	Which of the following scheduling algorithm gives minimum average
pii	waiting time ?
	(A) FCFS (B) SJF
	(C) Round Robin (D) Priority
87.	Suppose that a process is in 'BLOCKED' state waiting for some I/O service.
	When the service is completed, it goes to the:
	(A) RUNNING (B) READY
	(C) SUSPENDED (D) TERMINATED
88.	The size of virtual memory depends on the size of the :
	(A) Data bus (B) Main memory
	(C) Address bus (D) None of these
89.	Consider a paging hardware with a TLB. Assume that the entire page
	table and all the pages are in the physical memory. It takes 10 milliseconds
	to search the TLB and 80 milliseconds to access the physical memory. If
	the TLB hit ratio is 0.6, the effective memory access time (in milliseconds)
	is:
	(A) 122 (B) 112
	(C) 110 (D) 131
LEC	T (I.T.) T.E2016—D 24

90.	A system has 3 process sharing 4 resources. If each process needs a maximum					
	of 2 units, then deadlock:					
	(A) can never occur	(B) may occur				
	(C) has to occur	(D) none of these				
91.	Consider the grammar:					
	$S \to PQ SQ PS$					
	$P \to X$	25				
	$Q \to Y$					
	To get the string of n terminals, the number of productions to be used					
	îs :					
	(A) n ²	(B) n + 1				
	(C) 2n	(D) $2n - 1$				
92.	CFG is not closed under:		9			
	(A) Union	(B) Kleene star				
	(C) Complementation	(D) Product				
93.	The recognizing capability of NDFSM and DFSM:					
	(A) may be different	(B) must be different				
	(C) must be the same	(D) none of these				
LECT	(I.T.) T.E2016—D	25	P.T.O.			

94.	FSM can recognize : -	
	(A) any grammar	(B) only CFG
15	(C) only unambiguous	(D) only regular grammar
95.	Assuming P ≠ NP which	of the following is true?
ti	(A) NP-complete = NP	(B) NP-complete \cap P = Ø
	(C) NP-hard = NP	(D) P = NP-complete
96.	Given the language L-	ab, aa, baa), which of the following strings are
	in L * ?	
	(1) abaabaaabaa	
	(2) aaaabaaaa	
	(3) baaaaabaaaab	
	(4) baaaaabaa	
a.	(A) (1), (2) and (3)	(B) (2), (3) and (4)
	(C) (1), (2) and (4)	(D) (1), (3) and (4)
LE	CT (I.T.) T.E2016—D	26

(Cale					2		
97.	A CF	G is said to be in C	homsky No	rmal	Form (CNF), if all t	he productions	
	are of	the form $A \to BC$	or $A \rightarrow a$. Let	G be a CFG in CN	F: To derive a	
	string	of terminals of ler	ngth x, the	nun	ber of productions.	to be used is :	
			- 8				
	(A) 2	2x - 1		(B)	2x	57	
	con e	and the second		V-65000			
	(C) 2	x + 1		(D)	none of these		
	56 S					27	
98.	An FSM can be used to add two given integers. This remark is:						
			100000000000000000000000000000000000000				
	(A) t	rue		/TDY	0.1		
	11-57	de	10	(B)	false		
	00.00000	10 10 10			- W-		
	(C) n	nay be true		(D)	none of these		
99.	Let A	$= \{0, 1\} \text{ and } L = A$	*. Let R =	(0 ⁿ 1	n, n > 0) the langua	iges LUR and	
-	R are	respectively:					
	ZWV	and the second second		TELEVIN	1444		
	(A) r	egular, regular	N	(B)	not regular, regula	ř	
	(C) re	gular, not regular		(TV)	not regular, not re		
				1227	not regular, not re	guiar	
100	error.						
100.	The nu	imber of symbols no	ecessary to	simi	plate a TM with m s	ymbols and n	
	states	is:				55	
				10			
	(A)		B2		2 A		
E	(A) m	+ n		(B)	8mn + 4m		
		7.1			3 7		
	(C) m	n		(D)	4mn + m	W 2	
T Eleve	amim	D 0016 D	8				
LEC 1	(1.1.) T	E2016—D	27			P.T.O.	