HPAS (Main)-2011

ELECTRICAL ENGINEERING

Paper I

Time : 3 Hours

Maximum Marks: 150

Note: Attempt Five questions in all, taking at least one question from each part.

PART A

1. (a) For the circuit shown in Fig. 1, obtain current through (1 + j) Ohm impedance using Norton's Theorem. Also, verify your result using Nodal Analysis.

Fig. 1

(b) Obtain all the Foster and Cauer realizations of the driving point impedance: 15

$${\rm Z}(s) \; = \; \frac{s(s^2 + 4)}{(s^2 + 1)\,(s^2 + 9)} \; .$$

- (a) State and prove Tellegen's theorem. Also, verify
 Tellegen's theorem for the circuit in Fig. 1. 15
 - (b) The circuit of Fig. 2 has been in the condition shown for a long time. At t = 0, the switch is closed. (i) What is the value of voltage across capacitor immediately before the switch is closed? (ii) What is the value of v immediately after the switch is closed? Find the complete expression for v after the switch is closed. What is the time constant of transient term? What

15

is the final steady state voltage across the capacitor ?




Fig. 2

PART B

- 3. Derive the expression of capacitance of a parallel plate capacitor using Laplace's Equation. 15
 - (b) There exists a boundary between two magnetic materials at y = 0, having relative permeabilities $\mu_{r_1} = 4$ for region 1 where y > 0 and $\mu_{r_2} = 6$ P.T.O.

for region 2 where y<0. There exists a sui-face current of density $\vec{K}=60$ \hat{a}_x A/m at the boundary y=0. For a field $\vec{B}_1=2$ $\hat{a}_x-3\hat{a}_y+\hat{a}_z$ mT in region 1, find the values of magnetic field intensities \vec{H}_1 and \vec{H}_2 in two regions. Also, obtain the magnetic flux density in region 2 (\vec{B}_2) .

 (a) Describe in detail, the construction, working and applications of CRO.

Market or the their recovery of the first see

Discuss how inductance and capacitance can be

PART C

- (a) Derive the Barkhausen Criterion. Discuss the working of Hartley's and Colpitt's Oscillators. 15
 - (b) What are the various properties of negative feedback? Discuss in detail. What are the various topologies of feedback amplifiers? Discuss their characteristics.
- 6. (a) What is a transistor? Discuss its construction and operation. What are the various operating modes of BJT? What are the various configurations of BJT? Explain, their characteristics and applications.

6

(b) What are multivibrators? What are the various types of multivibrators? Discuss the working and application of each.

PART D

- (a) Discuss the classification of D.C. motor. Also, explain the characteristics of each type clearly, indicating their application area.
 - (b) What is a transformer? What are the basic functions performed by a transformer? Explain the characteristics of an ideal transformer. Draw the phasor diagram of a step-down real transformer connected to a capacitive load.

b. (a) A 4-pole, 3-phase, 440 V, 50 Hz induction motor has the following parameters for its circuit model (referred to the stator side on equivalent star basis).

$$r_1 = 1.1 \ \Omega, \ x_1 = 1.12 \ \Omega, \ r'_2 = 0.4 \ \Omega, \ x'_2 =$$
 1.12 $\Omega, \ x_m = 32 \ \Omega.$

Rotational losses are 750 W.

- (i) For a speed of 1440 rpm, calculate the input current, power factor, net mechanical power, torque and efficiency.
- (ii) Calculate the maximum torque and the slip at which it occurs.

- (b) Compare the following:
- (i) Generator and Motor;
 - (ii) Two winding Transformer and Auto Transformer;
 - (iii) Transformer and Induction Machine. 15